

Swift Boxes



Data Sheet




POWERED BY
RIJSWAARD®
BAKSTEEN

DRAWING AND SPECIFICATION

Box Dimension – Core box, not the brick coursing size


Specification	Value
External Dimensions (W × H × D)	440 × 140 × 150 mm
Internal Dimensions (W × H × D)	370 × 120 × 140 mm
Entrance Opening	65 × 29 mm
Distance from Floor to Entrance	55 mm
Complies With	BIJ12 Songbird Knowledge Document



BRICK DIMENSIONS

Box Dimension – Core box, not the brick coursing size

Specification	Value
Finished Article Number	SWIFT BOX
External Dimensions (W × H × D)	440/665 × 150 X 175 mm
Entrance Opening	65 × 29 mm – R51
Distance from Floor to Entrance	55 mm



NEST ENVIRONMENT

Suitable nest environment for:

- Swifts

Installation

The Swift nest box can be incorporated into both new-build and renovation projects.

For optimal placement, install the Swift built-in nest box on the north or east-facing gable end of a building, roughly three courses below the roof apex. This height typically ensures minimal disturbance and suits the natural flight paths of swifts. Maintain a clear area in front of the nest box—free from trees or shrubs—to provide unobstructed access.

The dimension of the finished fabricated units are designed to match the brick format and bond pattern specified in your order. Our imagery demonstrates UK format (215mm L x 65mm H x 102.5mm D), we can accommodate differing brick sizes and bond pattern.

Installation guidance:

- The front face of the nest brick should be flush with the front face of the wall.
- Cavity wall insulation can continue uninterrupted behind the unit, preventing a cold bridge.
- If insulation must be removed, it should be cut back generously around the perimeter of the unit.
- The void behind the nest brick should then be filled with rigid insulation.
- Preferably install on a **north-facing or east-facing elevation**.
- Minimum installation height: **3 metres above ground level**.
- Avoid installation on south-facing or **south-west-facing elevations** due to exposure to driving rain.
- No nest material needs to be added.

MAINTENANCE

Maintenance requirements:

This integrated nest box does not require cleaning. Swifts themselves will remove excess nesting material (for example, if a house sparrow has been in the nest box).

ANNEX OF MATERIALS

Core box:

- 5 x sides - wood-stone.
- Rear face – Ply Wood.

External face:

- AAB or customer brick.
- Epoxy Resin.

INDEPENDENT APPROVALS



All About Bricks Ltd

Unit 10 Maisies Way
South Normanton
Derbyshire
DE55 2DS

Tel: 01623 573178
e-mail: info@aab.build
Web: www.aab.build



POWERED BY
RIJSWAARD®
BAKSTEEN